

List of prescriptions for practice

- | | |
|---|---|
| <p>1. Rp.: Codeini phosphatis 0,01
Camphorae 0,05
Natrii hydrocarbonatis 0,2
Misce, fiat pulvis
Da tales doses N 3
Signa: 1 powder 3 times a day</p> | <p>2. Rp.: Dibazoli 0,01
Papaverini hydrochloridi 0,02
Sacchari 0,3
Misce, ut fiat pulvis
Da tales doses N 3
Signa: 1 powder 3 times a day</p> |
| <p>3. Rp.: Sol. Acidi hydrochlorici 2 % 100 ml
Pepsini 1,0
M.D.S.: 1 tablespoon 3 times a day</p> | <p>4. Rp.: Infusi herbae Thermopsidis ex 0,3 80 ml
Natrii benzoatis
Natrii hydrocarbonatis ana 1,0
Liquoris Ammonii anisati 3 ml
M.D.S.: 1 tablespoon 3 times a day</p> |
| <p>5. Rp.: Picis liquidae Betulae
Xeroformii ana 0,3
Olei Ricini 10,0
M.D.S.: Balsamic liniment for
Vishnevsky (for bandages)</p> | <p>6. Rp.: Sol. Laevomyctini 0,25 % 20 ml
M.D.S.: 2 drops 6 times a day
in the left eye</p> |
| <p>7. Rp.: Streptocidi 0,3
PEO q.s.
Misce ut fiat suppositorium
Da tales doses № 3
Signa: 1 suppository per night</p> | |
| <p>8. Rp.: Extracti Belladonnae 0,015
Papaverini hydrochloridi 0,01
Sacchari 0,2
Misce, ut fiat pulvis
Da tales doses N 3
Signa: 1 powder 3 times a day</p> | <p>9. Rp.: Adonisidi 5 ml
Tincturae Convallariae
Tincturae Valerianae ana 10 ml
Mentholi 0,05
Kalii bromidi 2,0
M.D.S. 25 drops 3 times a day
(Zelenin drops)</p> |

10. Rp.: *Infusi radice Althaeae 80 ml*
Natrii benzoatis 2,0

Liquoris Ammonii anisati 3 ml

Sirupi simplicis 5 ml

M.D.S.: 1 tablespoon 3 times a day

11. Rp.: *Infusi foliorum Digitalis ex 0,25 100 ml*
Da. Signa: 1 tablespoon 3 times a day

12. Rp.: *Sol. Riboflavini 0,02 % 10 ml*

Natrii chloridi 0,09

M.D.S.: 2 drops in both eyes

14. Sol. Magnii sulfatis 10 % 50 ml
(concentrated solution)

16. Rp.: *Mentholi 0,03*

Lanolini 1,0

Vaselini 10,0

Misce, ut fiat unguentum

Da. Signa: For rubbing when coughing.

13. Rp.: *Sol. Glucosi 5 % 50 ml*

Sterilisa!

Da. Signa: For injections

15. Rp.: *Sol. Protargoli 1 % 10 ml*

Da. Signa: 3 drops in the nose 3 times a day

17. Rp.: *Riboflavini 0,005*

Acidi ascorbinici 0,05

Glucosi 0,1

Misce, ut fiat pulvis

Da tales doses N 3

Signa; 1 powder 3 times a day

18. Rp.: *Dimedroli 0,03*

Sol. Adrenalini hydrochloridi

(1:1000) 1,5 ml

Lanolini 5,0

Vaselini 10,0

Misce ut fiat unguentum

Da. Signa: Ointment for the nose

19. Rp.: *Sol. Coffeini-Natrii benzoatis 10 % 50 ml*

Sterilisa!

D. S.: 1 ml subcutaneously 2 times a day

20. Rp.: *Dimedroli 0,02*

Sacchari 0,1

Misce, ut fiat pulvis

Da tales doses N 3

Signa: 1 powder 3 times a day day

21. Rp.: *Sol. Atropini sulfatis 1% 10 ml*

Da. Signa: 2 drops in both eyes 3 times a day

22. Rp.: *Calcii carbonatis* 0,6

Magnii carbonatis 0,08

Misce, ut fiat pulvis

Da tales doses N 3

Signa: 1 powder for heartburn

23. Rp.: *Phenobarbitali* 0,2

Chlorali hydratis

Natrii bromidi ana 2,0

Aquae purificatae 80 ml

Sirupi simplicis

Tincturae Valerianae ana 5 ml

M.D.S.: 1 tablespoon 3 times a day

24. Rp.: *Ung. Tetracyclini* 1% 10,0

D. S. Lubricate the edges of the eyelids

2 times a day.

25. Rp.: *Benzylpenicillini-natrii* 100000 OД

Olei Cacao g. s.

Misce, fiat suppositoriorum

Da tales doses N 3

Signa: 1 suppository per night.

Standard recipe description

Rp.: Codeini phosphatis 0,01
 Camphorae 0,05
 Natrii hydrocarbonatis 0,2
 Misce, fiat pulvis
 Da tales doses N 3.
 Signa: 1 powder 3 times a day
 day
 Doctor's signature
 Doctor's seal
 Seal of the medical center

Issued by: Codeini phosphatis 0,06
 Date Signature
 Received: Codeini phosphatis 0,06
 Date Signature
Checking of doses and release rates
 codeine phosphate dispensing rate 0.2 per 1
 prescription, by prescription 0.06
 TSD 0,01 MTSD 0,1
 TDD 0,01 × 3 = 0,03 MTDD 0,3
 Doses and release rates are not overstated

PWC (back side)

Codeine phosphate 0,01 × 6 = 0,06
 Sodium bicarbonate 0,2 × 6 = 1,2
 Camphors 0,05 × 6 = 0,3
 Ethanol for grinding
 1,0 - 10 drops
 0,3 - x X = 3 drops
 Weight of 1 powder
 0,01 + 0,2 + 0,05 = 0,26

PWC (front side)

Date № Recipe

Natrii hydrocarbonatis 1,2
 Codeini phosphatis 0,06
Camphorae 0,3
 0,26 № 6

Produced (Signature)
 Checked (Signature)
 He let go (Signature)

In a mortar, the pharmacist grinds 1.2 g of sodium bicarbonate weighed on a BP-5 (or electronic balance), grinds, selects a capsule and leaves about 0.06 g (an amount equal to codeine phosphate). Adhering to the rules for working with poisonous, psychotropic medicinal substances, in the presence of a responsible person, he weighs 0.06 g of codeine phosphate (on separate manual one-gram scales that are stored in the cabinet with poisonous substances) upon request. Place in a mortar, mix and add the remainder of sodium bicarbonate, mix until homogenous and strain the mixture into a capsule. On BP-1 or (electronic balance), weigh 0.3 camphor, grind it in dry form, and then with 3 drops of ethanol 95%, add the powder mixture from the capsule and stir, removing the powder from the walls of the mortar with a celluloid plate. The grinding quality is checked visually (when pressed with a pestle, the powder should not reveal individual visible particles). Dilutes powders on BP-1 at 0.26 g per 6 doses. Powders are packed in parchment capsules, placed in a paper bag. Pastes the number of the prescription, fills in the front side of the passport of written control.

Prepares before release with an "Internal" label with additional warning inscriptions: "Behave carefully", "Keep away from children". Seals and issues the "Signature".

Evaluates the quality of packaging and design. Conducts control upon release for compliance with the prescription and passport of written control.